

RIGHT PUMP. RIGHT NOW.



WATERBoss™

LINESHAFT TURBINE PUMPS

Wolf is a family-owned, American company, born in the most abrasive, deep well water conditions of west Texas, delivering durable, custom pump solutions when and where you need them.

- Customized, precision pump solutions
- Personal attention and quick shipping
- A 65-year reputation of excellence



To select the right pump for your application,
see the Wolf Pump Selector at:
www.WolfPumps.com

WOLF™ 
CUSTOMIZED PUMPS
Right Pump. Right Now.®

The Wolf Advantage

Your reputation is staked on the pumps you put in the ground. At Wolf Pumps, we stand behind you by using only premium components. Every detail matters: from the design of our bowls, to the workmanship in our production processes, to the way we package our pumps for shipment. We leave nothing to chance.

FOR SHORT SET AND DEEP WELL APPLICATIONS

Stainless steel bolting is standard.

Free competitor column, tube, and shaft adaptations.

Open and enclosed lineshaft configurations.

Bowls are glass lined to optimize efficiency and durability.

Shaft and bushing upgrades available.



LINESHAFT TURBINE *PRODUCT SCOPE*



Bowl Size/ Model	1800RPM Flow Range (GPM)	Standard Bowl Material	Bowl style	Standard Impeller Material	Impeller Style
7CE	100 - 320	Glass Lined CL30 Cast Iron	Flanged	C876 BRZ	ENCLOSED
8JE	125 - 450			C876 BRZ	ENCLOSED
8JO	125 - 450			C876 BRZ	SEMI-OPEN
9CE	250 - 750			C876 BRZ	ENCLOSED
9CO	250 - 750			C876 BRZ	SEMI-OPEN
10LL	150 - 500			304SS	ENCLOSED
10MM	240 - 850			304SS	ENCLOSED
11AE	250 - 750			C876 BRZ	ENCLOSED
11CE	400 - 1,300			C876 BRZ	ENCLOSED
11CO	400 - 1,300			C876 BRZ	SEMI-OPEN
12CE	600 - 1,700			C876 BRZ	ENCLOSED
12CO	750 - 1,700			C876 BRZ	SEMI-OPEN
14HME	1500 - 3,250			C876 BRZ	ENCLOSED
14HMO	1500 - 3,250			C876 BRZ	SEMI-OPEN
14FE	2250 - 4,500			C876 BRZ	ENCLOSED
16GE	3000 - 6,000			C876 BRZ	ENCLOSED

Bowl assembly replacements and complete well and short set pumps available.

- Multiple electric motor and RAGD options available.
- We offer repair services and can restore competitor pumps to factory tolerances.



TESTING *Tested here for your success out there*

- Pumps tested from 230V single phase to 6600V 3phase
- Testing includes vibration analysis, phase imbalance and stabilized motor temperature
- Remote testing is available, allowing customers to view their pumps during the test process, from anywhere in the world



- Skilled sales team to size and quote product needs quickly
- Committed to carrying inventory for the entire season
- Expert machinists and assemblers provide quality, custom pumps fast



Right Pump. Right Now. *What you need, when you need it.*

WATERBOSS™
LINESHAFT TURBINE PUMPS

WOLF™ 
CUSTOMIZED PUMPS

Right Pump. Right Now.®